

# LED Indoor Batten



12W / 18W / 24W / 36W / 48W

## APPLICATION

Most suitable for warehouses, offices and data halls. This fitting is rated to 150lm/W which allows for a bright energy efficient outcome. This light is designed to deliver a reliable evenly spread light with a high CRI that is rated to last 72,000 hours.

## SPECIFICATIONS

Item Code	ERS-B12W60S	ERS-B20W60S	ERS-B16W120S	ERS-B18W120S	ERS-B24W120S
Product Size (mm)	700X90X67	700X90X67	1170X90X67	1170X90X67	1170X90X67
Power	12W	20W	16W	18W	24W
Sensor	PWM.Microwave Motion Sensor,Sensing distance 4–6m				
Input Voltage	AC220~240V,50Hz				
Efficiency	150lm/w				
Driver Brand	ERS Element non-isolated driver 3 years warranty				
LED Type	SMD 2835				
CCT	2700–6500K				
CRI	Ra > 80				
Power Factor	> 0.9				
Beam Angle	120°				
IP Rating	IP 42				
Warranty	3 years				
Working Temp	-20~50°C				
Lamp Body Material	PC+SPCC				

Item Code	ERS-B36W120S	ERS-B40W120S	ERS-B48W150S	ERS-B50W150S	ERS-B54W150S
Product Size (mm)	1170X90X67	1170X90X67	1470X90X67	1470X90X67	1470X90X67
Power	36W	40W	48W	50W	54W
Sensor	PWM.Microwave Motion Sensor,Sensing distance 4-6m				
Input Voltage	AC220~240V,50Hz				
Efficiency	150lm/w				
Driver Brand	ERS Element non-isolated driver 3 years warranty				
LED Type	SMD 2835				
CCT	2700-6500K				
CRI	Ra > 80				
Power Factor	> 0.9				
Beam Angle	120°				
IP Rating	IP 42				
Warranty	3 years				
Working Temp	-20~50°C				
Lamp Body Material	PC+SPCC				

## SMART SENSORS


- 


Daylight  
On/off control
- 

Detection area
- 

Stand-by  
dimming level
- 

10-15M Highbay
- 



On/off control
- 

Hold time
- 

Remote control  
setting
- 

warranty  
**5**  
years
- 

Daylight sensor



LM-80 TM21 LM79  
ISTMT LCP